Cognitive Science in 1950's

- Turing, Alan M. "On computable numbers, with an application to the Entscheidungsproblem." Proceedings of the London mathematical society 2.1 (1937): 230-265.
- McCulloch, W. S., & Pitts, W. (1943). A logical calculus of the ideas immanent in nervous activity. The bulletin of mathematical biophysics, 5(4), 115-133.
- Lettvin, J. Y., Maturana, H. R., McCulloch, W. S., & Pitts, W. H. (1959). What the frog's eye tells the frog's brain. Proceedings of the IRE, 47(11), 1940-1951.

Hubel, David H., and Torsten N. Wiesel. "Receptive fields of single neurones in the cat's

- striate cortex." The Journal of physiology 148.3 (1959): 574-591.
 Miller, G. A. (1956). The magical number seven, plus or minus two: Some limits on our
- Newell, Allen, and Herbert Simon. "The logic theory machine--A complex information processing system." IRE Transactions on information theory 2.3 (1956): 61-79.
- Chomsky, Noam. "Three models for the description of language." IRE Transactions on information theory 2.3 (1956): 113-124.

capacity for processing information. Psychological review, 63(2), 81.

- Von Neumann, John. **1958** The computer and the brain. Yale University Press,.
- Putnam, H. 1960. "Minds and Machines." InS. Hook, ed., Dimensions of Mind. New York:
 New York University Press.
- Marr, D. (1982) Vision: A Computational Investigation info the Human Representation and Processing of Visual Information. San Francisco: W. H. Freeman.


Is RL the only learning mechanism?

Developmental Robotics

Al Origins

"Instead of trying to produce a programme to simulate the adult mind, why not rather try to produce one which simulates the child's? If this were then subjected to an appropriate course of education one would obtain the adult brain" Alan Turing (1950:440).





Definition

"Developmental Robotics is the interdisciplinary approach to the autonomous design of behavioral and cognitive capabilities in artificial agents (robots) that takes inspiration from the developmental principles and mechanisms in natural cognitive systems (children)" (Cangelosi & Schlesinger, 2015)

DevRob Characteristics

- Highly interdisciplinary effort of empirical developmental sciences, e.g. developmental psychology, neuroscience and comparative psychology, and computational and robotics sciences, e.g. robotics and artificial intelligence.
- Developmental sciences provide the empirical bases and data to identify the general developmental principles, mechanisms, models and phenomena guiding the incremental acquisition of cognitive skills.
- The implementation of these principles and mechanisms into a robot's control architecture and the **testing through experiments**, where the robot interacts with its physical and social environment simultaneously, permits the **validation** of such principles and the actual design of complex behavioral and mental capabilities in robots.

Developmental sciences

Developmental Psychology Neuroscience Comperative Psychology



Computational sciences


Robotics Artificial Intelligence

DevRob History and Origins

- Pioneering publications advocating and explicit link between human development and robotics;
- Sandini, Metta and Konczak (1997): "some of the peculiarities of human sensori-motor development for the execution of visually guided reaching and to suggest a similar framework for the implementations of artificial systems able to adapt to changes in sensory and biomechanical constraints. In particular the problem of mapping sensory information into direct motor commands will be presented and the advantages of a closer synergy between the study of artificial systems and neurosciences will be discussed"
- Brooks et al. (1998): "Using evidence from cognitive science and neuroscience, we suggest four alternative essences of intelligence to those held by classical AI. These are the parallel themes of development, social interaction, embodiment, and integration."
- Scassellati (1998): This paper advocates a developmental approach to building complex interactive behaviors for robotic systems. A developmental methodology is advantageous because it provides a structured decomposition of complex tasks, because it facilitates learning, and because it allows for a gradual increase in task complexity. And idea of re-use
- Asada, MacDorman and Kuniyoshi (2001): This paper proposes **cognitive developmental robotics** (CDR) as a new principle for the design of humanoid robots. This principle may provide ways of understanding human beings that go beyond the current level of explanation found in the natural and social sciences. Furthermore, a methodological emphasis on humanoid robots in the design of artificial creatures holds promise because they have many degrees of freedom and sense modalities and, thus, must face the challenges of scalability that are often side-stepped in simpler domains.

DevRob Terminology





Other names proposed for the same approach/field;

- Cognitive Developmental Robotics (Asada et al. 2001, 2009) for more general cognitive systems approach;
- Autonomous Mental Development (Weng et al. 2001; ICDL Conference series) to stress autonomous aspects of mental (i.e. cognitive) development;
- Epigenetic Robotics (Balkenius, Zlatev, Kozima, Dautenhahn & Breazeal, 2001; Berthouze & Ziemke, 2003; EpiRob Conference Series) to trace its origins and inspiration from Piaget's Epigenetic Theory.
 - Development proceeds through an ordered succession of stages that are guided, but not determined by the genes, where higher stages require more time and experience than the lower ones.

Most recent and comprehensive review by Cangelosi and Schlesinger

DevRob History and Origins

- The birth of developmental robotics field traces its origins to the years 2000-2001, in coincidence with two scientific workshops/conference series:
 - ► ICDL: International Conference on Development and Learning (first ICDL Workshop in 2000, in Lansing);
 - ► EpiRob: International Workshop on Epigenetic Robotics (first EpiRob Workshop in 2001, in Lund, Sweden)
- ► The two conference series merged efforts in 2011 with IEEE Joint ICDL-EpiRob Conference (Frankfurt) and subsequent yearly meetings
- Dedicated journal
 - from 2009: IEEE Transactions on Autonomous Mental Development
 - from 2016: IEEE Transactions on Cognitive and Developmental Systems
- icdl-epirob.org

DevRob History and Origins



The 7th Joint IEEE International Conference on Development and Learning and on Epigenetic Robotics

> 18th - 21st of September 2017 Instituto Superior Tecnico Lisbon, Portugal





www.icdl-epirob.org

www.facebook.com/ icdlEpirobLisbon2017



General chairs

José Santos-Victor Giulio Sandini

Program chairs

Lorenzo Jamone Emre Ugur

Bridge chairs

Angelo Cangelosi Minoru Asada Jeffrey Lockman

CALL FOR PAPERS

The past decade has seen the emergence of a new scientific field in which computational techniques are employed to study how intelligent biological and artificial systems develop sensorimotor, cognitive and social abilities through dynamic interactions with their physical and social environments, with a twofold objective: to gain a better understanding of human and animal intelligence, and to enable artificial systems with more adaptive and flexible behaviors. The two most prominent conference series of this area, the International Conference on Development and Learning (ICDL) and the International Conference on Epigenetic Robotics (EpiRob), are joining forces for the seventh time and invite submissions for a joint meeting in 2017 to explore, extend, and consolidate the interdisciplinary boundaries of this exciting research field. In addition to the usual paper submission-selection process, the BabyBot Challenge will





Angelo Cangelosi (Plymouth University, UK)

Program chairs Tadahiro Taniguchi (Ritsumeikan University, Japan)



Emre Ugur (Boğaziçi University, Turkey)





Conference: September 16th - 20th, 2018

SPONSORS

Computational Intelligence

WASEDA University

Development

Babies are born as helpless individuals. 10 years old: play chess, solve math, master lang, cooperate, use tools

Key questions:

- What are the mechanisms that allow the child to develop autonomously such mental capabilities?
- How does the social and physical environment, with which the child interacts, shape and scaffold the child's developing cognitive skills and knowledge?
- ▶ What is the relative contribution of **nature** (i.e., genes) and **nurture** (i.e., environment) in the development of human intelligence?
- What do qualitative stages during development, and body and brain maturational changes tell us about the mechanisms and principles supporting development?

Development

- Developmental psychology is the discipline that aims at understanding the child's autonomous mental development
 - Through ?
- If we understand the underlying principles and mechanisms of the development...
- Such principles and mechanisms can be implemented in the cognitive architecture of robots and tested through developmental experiments with robots.

Developmental Theories


Developmental Theories and Na debate informs DevRob field.

Nativist (Nature) Theories:

Children are born with innate, d of direct influence of the genes of influence from environment.

Examples:

- Chomsky (1956): children are be language;
- Leslie (1994): children are born
- Wynn (1998): innate knowledge
 - Look more to unexpected 5



NATURE · VOL 358 · 27 AUGUST 1992

Developmental Theories

Empiricist (Nurture) Theories:

Importance of the social and cultural environment and experience on cognitive development.

Examples:

- ➤ **Tomasello** (2003) principle of constructivist and emergent development, whereby the child constructs her own language competence through interactions with others
- ▶ Piaget's (1971) Epigenetics (meaning?) theory, based on adaptation (assimilation and accommodation) with stage-like, qualitative progression.
- Thelen and Smith's (1994) dynamical systems theory of development. This considers complex, dynamics interaction of various neural, embodiment and environmental factors in the self-organization of cognitive strategies;
 - Influenced other fields interested in the study of intelligence, specifically in artificial intelligence and robotics. How?

Principles	Characteristics
1 Development as a Dynamical Systems	Decentralized system Self-organization and emergence Multicausality Nested timescales
2 Phylogenetic and Ontogenetic Interaction	Maturation Critical period Learning
3 Embodied and Situated Development	Embodiment Situatedness Enaction Morphological computation Grounding
4 Intrinsic Motivation and Social Learning	Intrinsic motivation Value systems Imitation
5 Non-linear, Stage-Like Development	Qualitative stages U-shape phenomena Bootstrapping
6 Online Open-Ended Cumulative Learning	Online learning Cumulative Cross-modality Cognitive bootstrapping

Principle 5: Non-linear, stage-like development

- Stages in children.
- For example, the key tenet of Piaget's theory is that a child goes through different stages of development, where at each stage the infant develops qualitatively-different and increasingly-complex schemas, the building block of intelligence.
- Not linear, incremental improvement of skills, but shows non-linear trends based around qualitative, sudden changes in performance (stages).

Principle 5: Non-linear, stage-like development


- Sensorimotor Stage (Stage 1, 0-2 years), with the acquisition of sensorimotor schemas, e.g. motor reflexes;
 - Reflex acts (m1), primary circular reactions (m1-m4), secondary circular reactions (m4-m8), coordinated secondary schemes (m8-m12)
- Preoperational Stage (Stage 2, 2-7 years), children acquire egocentric symbolic representations of objects and actions, to represent objects
- Concrete Operational Stage (Stage 3, 7-11 years) to adopt other people's perspectives on object representation and perform mental transformation operations on concrete objects (e.g. liquid conservation task);
- Formal Operational Stage (Stage 4, 11+ years) with full abstract thinking capabilities and complex problem solving.

Principle 5: Non-linear, stage-like dev.



- Sensorimotor Stage (Stage 1, 0-2 years), with the acquisition of sensorimotor schemas, e.g. motor reflexes;
 - Reflex acts (m1), primary circular reactions (m1-m4), secondary circular reactions (m4-m8), coordinated secondary schemes (m8-m12)
- Preoperational Stage (Stage 2, 2-7 years), children acquire egocentric symbolic representations of objects and actions, to represent objects
- Concrete Operational Stage (Stage 3, 7-11 years) to adopt other people's perspectives on object representation and perform mental transformation operations on concrete objects (e.g. liquid conservation task);
- Formal Operational Stage (Stage 4, 11+ years) with full abstract thinking capabilities and complex problem solving.

Principle 5: Non-linear, stage-like dev.



- Sensorimotor Stage (Stage 1, 0-2 years), with the acquisition of sensorimotor schemas, e.g. motor reflexes;
 - Reflex acts (m1), primary circular reactions (m1-m4), secondary circular reactions (m4-m8), coordinated secondary schemes (m8-m12)
- Preoperational Stage (Stage 2, 2-7 years), children acquire egocentric symbolic representations of objects and actions, to represent objects
- Concrete Operational Stage (Stage 3, 7-11 years) to adopt other people's perspectives on object representation and perform mental transformation operations on concrete objects
- Formal Operational Stage (Stage 4, 11+ years) with full abstract thinking capabilities and complex problem solving.


Principle 5: Non-linear, stage-like dev.



- Sensorimotor Stage (Stage 1, 0-2 years), with the acquisition of sensorimotor schemas, e.g. motor reflexes;
 - Reflex acts (m1), primary circular reactions (m1-m4), secondary circular reactions (m4-m8), coordinated secondary schemes (m8-m12)
- Preoperational Stage (Stage 2, 2-7 years), children acquire egocentric symbolic representations of objects and actions, to represent objects
- Concrete Operational Stage (Stage 3, 7-11 years) to adopt other people's perspectives on object representation and perform mental transformation operations on concrete objects
- Formal Operational Stage (Stage 4, 11+ years) with full abstract thinking capabilities and complex problem solving.


Principle 5: Non-linear, stage-like dev.

- ▶ U-Shape phenomenon The (inverted) U-shape phenomenon is an example of such non linearity. This is characterized by an early stage of good performance and low errors, followed by an unexpected decrease in performance, which is subsequently recovered to show high performance.
- In language learning: past tense
- In face imitation (Fontaine 184)?
- Vocabulary spurt (18-24m)



Principle 1: Development as a Dynamical System

Thelen and Smith (1994) propose that the development of a child should be viewed as change within a complex dynamic system, where the growing child can generate novel behaviors through its interaction with the environment, and these behavioral states vary in their stability within the complex system. Development as the emergent product of the intricate and dynamic interaction of many decentralized and local interactions related to the child's growing body, brain, and environment.



Principle 1: Development as a Dynamical System

Development as a Dynamical System: **Nested Timescales**, i.e. neural and embodiment phenomena acting at different timescales, and all affecting development in an intricate, dynamical way.


For example?

Principle 1: Development as a Dynamical System

A-not-B Error Experiment. Why? The combined effects of the concepts of multicausality and nested timescales

Repeatedly hide under at A (right) during the first part of the experiment. Towards the end of the task, the experimenter hides the same toy in the location B (left) for a single trial

- > 12 months have no problem in reaching for the toy in its correct location B,
- Most 8- to 10-month-old infants produce the curious error of looking for the object in the location A. short delay



Principle 1: Development as a Dynamical System


A-not-B Error Experiment

- Piaget: based on age (stage) differences linked to qualitative changes in the capability to represent objects and space
- A computational simulation of the dynamical system model (Thelen, Schöner, Scheier & Smith, 2001): many decentralized factors (multicausality) and timing manipulations (nested timing) affecting such a situation.
- The time delay between hiding and reaching
- The properties of the lids on the table
- The saliency of the hiding event
- The past activity of the infant and her body posture.
- ► The systematic manipulation of these factors results in the appearance, stopping and modulation of the A-not-B errors.

Principle 1: Development as a Dynamical System

Development as a Dynamical System: **Multicausality** when one behavior is determined by the simultaneous and dynamic consequences of various phenomena at the level of the brain, body, and environment. Example of dynamic changes in crawling and walking behaviors as multicausality changes in the child's adaptation to the environment, in response to body growth changes

Principle 1: Development as a Dynamical System



Yamashita, Yuichi, and Jun Tani. "Emergence of functional hierarchy in a multiple timescale neural network model: a humanoid robot experiment." PLoS Comput Biol 4.11 (2008): e1000220.

Principle 2: Phylogenetic and Ontogenetic Interaction

- ▶ Brain maturation → decrease in plasticity, gradual hemispheric specialization, pruning of neurons and connections
- Critical periods: the time frames when organism is more sensitive to env, and therefore can efficiently learn. After critical period..
- One example: imprinting only possible within the few hours and last long.
- Any example critical period from us? Until 7 years old?







Konrad Lorenz

Principle 3: Embodied, Situated and Enactive Development


"Intelligence cannot merely exist in the form of an abstract algorithm but requires a physical instantiation, a body". (Pfeifer & Scheier 1999) The body of the child (or of the robot), and its interaction with the environmental context determines the type of representations, internal models and cognitive strategies learned:

- Embodiment: Fundamental role of the body in cognition and intelligence (Embodied/grounded cognition);
- Situatedness: Role of interaction between the body and its environment;
- Enaction: the organism's autonomous generation of a model of the world through sensorimotor interactions.









Principle 3: Embodied, Situated and Enactive Development

In neuroscience, brain-imaging studies have shown that higher-order functions such as language share neural substrates normally associated with action processing.

Principle 3: Embodied, Situated and Enactive Development

- Morphological computation (Pfeifer & Bongard, 2007)
- The organism can exploit the body's morphological properties (e.g. type of joint, length of limbs, passive/active actuators), and the dynamics of the interaction with the physical environment (e.g. gravity) to produce intelligent behavior.
- ➤ The exploitation of morphological computation has important implications for energy consumption optimization in robotics, and for the use of increasing use of compliant actuators and soft robotics material (Pfeifer, Lungarella & Lida, 2012).

Principle 3: Embodied, Situated and Enactive Development

- Morphological computation (Pfeifer & Bongard, 2007)
- The organism can exploit the body's morphological properties (e.g. type of joint, length of limbs, passive/active actuators), and the dynamics of the interaction with the physical environment (e.g. gravity) to produce intelligent behavior.
- ➤ The exploitation of morphological computation has important implications for energy consumption optimization in robotics, and for the use of increasing use of compliant actuators and soft robotics material (Pfeifer, Lungarella & Lida, 2012).



DevRob Principles Principle 6: Open-ended cumulative

- Vocabulary spurt
 - Syntactic & semantic bootstrapping



Transitive dialogue

A: Guess what? Jane blicked the baby!

B: Hmm. She blicked the baby?

A: And Bill was blicking the duck.

B: Yeah, he was blicking the duck.

Intransitive dialogue

A: Guess what? Jane blicked!

B: Hmm. She blicked?

A: And Bill was blicking .

B: Yeah, he was blicking.






One-participant test event





Figure 5.6 Vocabulary Growth in the Second Year





Training: This is acorp (my box)!






Scott RM, Fisher C. 2-year-olds use distributional cues to interpret transitivity-alternating verbs. Lang Cogn. Process 2009, 24:777–803.

Fisher C, Klingler SL, Song H. What does syntax say about space? 26-montholds use sentence structure in learning spatial terms. Cognition 2006.

DevRob Principles Principle 6: Open-ended cumulative

- Vocabulary spurt
 - Syntactic & semantic bootstrapping



Transitive dialogue

- A: Guess what? Jane blicked the baby!
- B: Hmm. She blicked the baby?
- A: And Bill was blicking the duck.
- B: Yeah, he was blicking the duck.

Intransitive dialogue


- A: Guess what? Jane blicked!
- B: Hmm. She blicked?
- A: And Bill was blicking .
- B: Yeah, he was blicking.





Experimental con Control condi

Scott RM, Fisher C. 2-year-olds ι transitivity-alternating verbs. La








Figure 5.6 Vocabulary Growth in the Second Year





Training: This is acorp (my box)!



Location match screen

box)! What else is acorp (my box?) loes syntax say about space? 26-monthing spatial terms. Cognition 2006.

Principle 4: Intrinsically motivated learning

- Not to achieve goals, target, satisfy needs
- Learn to learn

Next week...